

DCUSA Panel Feedback on the DCP 203 Change Report

On the 16 December, the DCUSA Panel sent back the attached DCP 203 change report and have asked the Working Group to determine whether the CP is fit for purpose and to amend the draft legal text based on the following feedback:

- There is no clarification on the impact on the CDCM model associated with the change.
- The legal text in paragraph 3.1 refers to 3.2 paragraph and 3.2 refers to paragraph 3.3, as written paragraph 3.3 is not practical. The legal text changes have a significant impact and cannot not be delivered as drafted because it will have an impact on HH Aggregated metered sites that has not been considered and creates requirements with regards to these sites that cannot be delivered
- Changeable capacities do not exist on Unmetered Supply and the legal text does not clearly state that there is no impact on tariffs.
- It was noted that the CP Timetable needs to be updated to show that there is sufficient time for the change to be implemented after a decision is received from the Authority. Text should be added to the Implementation section of the Change Report clarifying what would happen before the CP is implemented and the actions on each Party.
- The legal text section in the Change Report does not provide an explanation of the changes being proposed by the CP, this part does not go into details regarding the deletion of Half Hourly. It was noted that this section should be added after the Working Group conclusions on the CP and consultations to show what the group have concluded after receiving comments from industry Parties.
- The deleted text in 2.1 and 3.1 and 4.1 of Sch 19 appears to arise from the WG not using the current baseline of DCUSA when they passed drafting to Wragge's - please confirm it is not the WG's intent to remove those parts (which I think were introduced by DCP179)?