

DCUSA Housekeeping Amendments Log					
No.	Title	Summary of Issue	Originator	Date Raised	Status
112	Definition of “Company/User” in Schedule 8	<p>It has been identified that whilst Schedule 8 contains a definitions list, the terms “Company/User” are not defined. It should also be noted that the schedules co-exist with the main body and thus you’ll usually find a reference (pointer) to the applicable schedule in the main body. In this case it is clause 31 ‘DEMAND CONTROL’ and clause 31.1 states:</p> <p><i>“In respect of Metering Points for which the User is Registered that relate to Exit Points on the Company’s Distribution System, the Company and the User each undertake to comply with Schedule 8”</i></p> <p>This clause sits within Section 2A and thus should be read with reference to the definitions set out in Clause 1 except where the definitions are explicit for the given schedule. The way this is dealt with in other Schedules with definitions lists is to include a paragraph that states: <i>“Any other words or expressions used in this Schedule (excluding headings or any parts thereof) which bear initial capital letters and are defined elsewhere in this Agreement shall have the same respective meanings as are given to them elsewhere in this Agreement.”</i></p>	DCUSA Party / Secretariat	20 February 2019	
113	Amendment to table cross-reference in Paragraph 26.3 in Schedules 17 and 18	<p>It has been identified that following the implementation of DCP 311, which amongst other things, updated the table numbering system across Schedules 17 and 18, a cross reference within paragraph 26.3 of both Schedules now incorrectly refers to a table number that no longer exists. Paragraph 26.3 states:</p> <p><i>For the purposes of calculating the boundary-equivalent portfolio EDCM tariffs, each EDCM Connectee on the LDNO’s Distribution System would be assigned the demand Connectee category determined by reference to that LDNO Distribution System’s Point of</i></p>	Secretariat	17 June 2020	

		<p><i>Common Coupling. The demand Connectee category is assigned as per <b><u>Table 3 in paragraph 15.6</u></b>.</i></p> <p>Where the bold underlined text that states "<b><u>Table 3 in paragraph 15.6</u></b>" should be amended to state "<b><u>Table 15.6</u></b>"</p>			
114	Amendment to the calculation of Export Capacity in paragraph 20.2 of Annex 1 in both Schedules 17 and 18	<p>It has been identified that there is an incorrect term used in paragraph 20.2 of Annex 1 in both Schedules 17 and 18, which states:</p> <p><i>For the purposes of determining capacity used, the following formula is used for each half hour:</i></p> <p><i>Import capacity used = 2 * (SQRT(AI^2 + MAX(RI,RE)^2))</i></p> <p><i>Where:</i></p> <p><i>AI = Import consumption in kWh</i></p> <p><i>RI = Reactive import in kVArh</i></p> <p><i>RE = Reactive export in kVArh</i></p> <p><i>Export capacity used = 2 * (SQRT(AE^2 + MAX(RI,RE)^2))</i></p> <p><i>Where:</i></p> <p><b><u>AE = Import consumption in kWh</u></b></p> <p><i>RI = Reactive import in kVArh</i></p> <p><i>RE = Reactive export in kVArh</i></p> <p>Where for the calculation of Export Capacity the bold underlined text for "AE" that states "<b><u>AE = Import consumption in kWh</u></b>" should be amended to state "<b><u>AE = Export production in kWh</u></b>"</p>	Secretariat	17 June 2020	