Meeting Session	Interventions Working Group
Paper Reference	IWG 20210414
Action	For Information

Outstanding Actions

This paper outlines the actions for the Interventions Working Group.

Open Actions

Action Ref.	Action	Owner	Update
48/02	PA to share draft SEC modification for IWG review once ready.	Paul Abreu	Ongoing
52/01	Secretariat to make contact with the MRA to initiate conversations to address the following actions: • Investigate whether Suppliers could be copied into D0135 flows sent to DNOs via the MOP.	ElectraLInk	Ongoing

	• Investigate making the Asset Condition Code mandatory. • Investigate potential for auto validation on fields such as telephone numbers, email addresses etc. • Investigate adding extra data field lined for additional telephone numbers and email address within the D0135 flow		
52/02	Secretariat to make contact with BEIS regarding work on aborted site visits.	ElectraLInk	Ongoing
52/03	Secretariat to issue a reminder to Suppliers regarding the Supplier Emergency Metering Services register requirements as detailed within DCUSA.	ElectraLInk	Ongoing communications to address missing Suppliers
54/01	Secretariat to investigate the methodologies process for the smart meter installs.	ElectraLInk	Ongoing

Closed Actions

Action Ref.	Action	Owner	Update

<table>
<tr><td>50/02</td><td>Investigate whether a centralised database could be created containing customer contact details that could be used by industries where safety issues can occur at consumer properties.</td><td>Boz Laird-Clowes</td><td>After discussion it has been agreed that this would be too complex and this action has been closed.</td></tr>
<tr><td>50/03</td><td>Provide IWG with the methodology for producing the monthly Smart Meter Installs report.</td><td>ElectraLInk</td><td>Below is data regarding total completion as of end of January 2021.
<table>
<tr><th>GSP</th><th>Percentage of PC1-4 installs which are smart</th></tr>
<tr><td>_A</td><td>46%</td></tr>
<tr><td>_B</td><td>53%</td></tr>
<tr><td>_C</td><td>37%</td></tr>
<tr><td>_D</td><td>50%</td></tr>
<tr><td>_E</td><td>51%</td></tr>
<tr><td>_F</td><td>54%</td></tr>
<tr><td>_G</td><td>51%</td></tr>
<tr><td>_H</td><td>44%</td></tr>
<tr><td>_J</td><td>46%</td></tr>
<tr><td>_K</td><td>49%</td></tr>
<tr><td>_L</td><td>47%</td></tr>
<tr><td>_M</td><td>53%</td></tr>
<tr><td>_N</td><td>43%</td></tr>
<tr><td>_P</td><td>28%</td></tr>
</table></td></tr>
</table>